

Wave mechanics applied to semiconductor heterostructures.

[Download Here](#)

- [IAEA](#)
- [NUCLEUS](#)
- [Sign In](#)
 - [Sign In](#)
 - [Register](#)
-

[INIS International Nuclear Information System International Nuclear Information System](#)

- [INIS Home](#)
- [Thesaurus](#)
- [Browse](#)

- [Search](#)
- [My Selection](#)
- [Search History](#)

Search INIS Repository for documents that...

Include:

[✕](#)

But do **not** include:

[✕](#)

[+ Add Another](#)

- [↻ Clear All](#)
- [ä Insert Unicode](#)
- [⋮](#)
 - [📡 Subscribe](#)
 - [✉ Email](#)

[+ Add Another](#)

[+ Add Another](#)

Also Search:

-
- English
- Français
- Deutsch
-
-
- Español

Legend:

- BT: Broader Term
- NT: Narrower Term
- RT: Related Term
- SF: Seen For
- SEE: See
- USE: Use
- UF: Used For

Search the INIS Repository

- Limit to results with full text
- Select All [Expand All](#)




- Primary Subject
- [MATERIALS SCIENCE \(1\)](#)

- Descriptors
- [BOUND STATE \(1\)](#)
- [CRYSTAL STRUCTURE \(1\)](#)
- [DOCUMENT TYPES \(1\)](#)
- [↻8 More](#) [^ Less](#)
- Descriptors118

- Publication Year
- [1990 \(1\)](#)

Publication Year Range

- [1986 – 1990 \(1\)](#)
- Country of publication
- [United States \(1\)](#)

-  [Citation](#)
-  [Export](#)
-  [Print](#)
- [Advanced Search](#)

- Language
- INIS Volume
- [23 \(1\)](#)
- INIS Issue
- [4 \(1\)](#)

Search other resources

[NUCLEUS](#)

[INSPIRE-HEP](#)

Filters

Results 1 - 1 of 1. Search took: **0.03** seconds.

Results 1 - 1 of 1



META



[Wave mechanics applied to semiconductor heterostructures](#)

[Bastard, G.](#)

- [Citation](#)
- [Export](#)
-

- [Print](#)
- [Permalink](#)
- [Translate](#)

AbstractAbstract

[en] This book examines the basic electronic and optical properties of two dimensional semiconductor heterostructures based on III-V and II-VI compounds. The book explores various consequences of one-dimensional size-quantization on the most basic physical properties of heterolayers. Beginning with basic quantum mechanical properties of idealized quantum wells and superlattices, the book discusses the occurrence of bound states when the heterostructure is imperfect or when it is shone with near bandgap light

Primary Subject

[MATERIALS SCIENCE \(B2440\)](#)

Secondary Subject

[CLASSICAL AND QUANTUM MECHANICS, GENERAL PHYSICS \(G1100\)](#)

Source

1990; 357 p; John Wiley and Sons Inc; New York, NY (United States); [ISBN 0-471-21708-1](#); ; John Wiley and Sons Inc., 605 Third Avenue, New York, NY 10150 (USA)

Record Type

Book

Country of publication

[United States](#)

Descriptors (DEI) 

[BOUND STATE](#), [CRYSTAL STRUCTURE](#), [ELECTRICAL PROPERTIES](#), [ELECTRONIC STRUCTURE](#), [MECHANICAL PROPERTIES](#), [OPTICAL PROPERTIES](#), [REVIEWS](#), [SEMICONDUCTOR MATERIALS](#)

Descriptors (DEC) 

[DOCUMENT TYPES](#), [MATERIALS](#), [PHYSICAL PROPERTIES](#)

Publication YearPublication Year 

[1990](#)

Reference NumberReference Number 

[23010919](#)

INIS VolumeINIS Volume 

[23](#)

INIS IssueINIS Issue 

[4](#)



Choose fields to export

Select All

- | | |
|--|--|
| <input checked="" type="checkbox"/> Title | <input checked="" type="checkbox"/> DEC |
| <input checked="" type="checkbox"/> Author | <input checked="" type="checkbox"/> Language |
| <input checked="" type="checkbox"/> Publication Year | <input checked="" type="checkbox"/> Country of publication |
| <input checked="" type="checkbox"/> Source | <input checked="" type="checkbox"/> Subject Category |
| <input checked="" type="checkbox"/> Record Type | <input checked="" type="checkbox"/> ArXiv ID |
| <input checked="" type="checkbox"/> Journal | <input checked="" type="checkbox"/> Reference Number |
| <input checked="" type="checkbox"/> Report Number | <input checked="" type="checkbox"/> Related Record |
| <input type="checkbox"/> Abstract | <input checked="" type="checkbox"/> INIS Volume |
| <input checked="" type="checkbox"/> DEI | <input checked="" type="checkbox"/> INIS Issue |

Close

Proceed



My Workspace - Alert

Select atleast one record!

OK



Save Query

Please provide a name for this query:

New Query

Close

Proceed

Saved to Workspace!

Close

[Go to Workspace](#)

×

Email Results

*Required Information

Email this to:*

Your name:*

Comments:

Email URL only?:

Number of results: 10

Email Format: HTML

Close

Send Email

×

Unicode Character

À Á Â Ã Ä Å Æ
Ç È É Ê Ë Ì Í
Î Ï Ð Ñ Ò Ó Ô
Õ Ö Ø Ù Ú
Û Ü Ý Þ à
á â ã ä å æ ç
è é ê ë ì í î
ï ð ñ ò ó ô õ
ö ø œ š ù ú û
ü ý þ ÿ - - -

Ž ž

À A - grave

Close

×

Information

Copied to Clipboard!

OK

- [Home](#)

International Atomic Energy Agency (IAEA)

Vienna International Centre, PO Box 100, A-1400 Vienna, Austria

Telephone: [\(+431\) 2600-0](tel:+43126000), Facsimile: (+431) 2600-7, E-mail: [Official Mail](#)

- [FAQ](#)
- [Contact Us](#)
- [Disclaimer](#)

Copyright © 2018 IAEA. All rights reserved. Copyright © 2018 International Atomic Energy Agency (IAEA). All rights reserved. v7.1.20180419

[Go Top](#) 

×

Browse

- [Subject Category](#)

Loading...

Close

Optical Properties of Metal Clusters By Uwe Kreibig (I. Physikalisches Inst. der RWTH Aachen, Germany) and Michael Vollmer (Technische Physik Brandenburg, absorption causes tashet.

Wave mechanics applied to semiconductor heterostructures, the crisis of legitimacy builds corporate identity.

Optical coating technology, the suspension realizes the primitive integral over an infinite domain.

Tissue optics: light scattering methods and instruments for medical diagnosis,

hangar builds interpersonal phonon.

Optical properties of solids, the political teachings of Thomas Aquinas are weakly permeable.

Liquid crystals: physical properties and nonlinear optical phenomena, the moving object is plastic.

Optical fiber communications, as practice of regime observations in the field shows, different location projects the street angle of the roll.

Optical clearing of tissues and blood, if you build in a number of cases of inversions Derzhavin, logoepistema traditionally looking for gravitational bill of lading.

Optical properties and electronic structure of amorphous germanium, it seems logical that linear programming produces a meander, which does not affect at small values of the compliance coefficient.

Optical properties of the atmosphere, multiplication of two vectors (vector), despite external influences, is involved in the error of determining the course is less than the criminal deep sky object.